

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	reordering adj transactions and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:08
S2	12	S1 and queues	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
S3	2	S2 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:35
S4	35	ordered adj queues and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:45
S5	0	S4 and transaction near identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:37
S6	0	S4 and sequence adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:37
S7	1	S4 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:40

S8	97	("6108741" "4615001" "6260131" "6370632" "6205506" "5890154" "5878414" "5668988" "5327557" "6434636" "5829033" "5657472" "5960179" "5996036" "6209073" RE38428 "4345309" "5588117" "5930822" "5754877" "5805839" "6058389" "6754737" "5530933" "5471614" "5623599" "6233615" "6078930" "6125368" "6055598" "5006982" "6230243" "4349871" "6356972" "5485507" "6275823" "5440743" "6754751" "6259447" "5822772" "5930485" "6301627" "6230240" "5961621" "4346262" "5191649" "5893165" "6047268" "6122743" "5329589").pn. and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:52
S9	18	S8 and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:52
S10	8	S9 and order near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:52
S11	237	710/6,16,53-57.ccls. and @ad<"20011227" and order and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:31
S12	102	S11 and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:31
S13	4	S12 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:31
S14	0	reordering adj transactions and @ad<"20011227" and sequence adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:09
S15	0	@ad<"20011227" and sequence adj identifier and order adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:09

S16	3	@ad<"20011227" and router and transaction near id near queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:12
S17	20	@ad<"20011227" and router and transaction near ordering	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:18
S18	0	@ad<"20011227" and router and transaction near ordering near sort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:13
S19	181	@ad<"20011227" and queue adj pair\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:18
S20	0	S19 and sequence adj id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:18
S21	86	S19 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:19
S22	6	S21 and transaction near id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:24
S23	0	S19 and separate near queue adj pair\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:25
S24	0	S19 and separate near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:25
S25	0	S19 and separate near command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:26

S26	0	S19 and separate near queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:26
S27	0	S19 and S21 and PCI near order\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:26
S28	26	S19 and S21 and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:33
S29	35	@aD<"20011227" and ordered adj queues	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:33
S30	1	S29 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:43
S31	8	("6754751" "5805839" "6108741" "5930485").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:46
S32	8	("6754751" "5805839" "6108741" "5930485").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:47
S33	0	S32 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:47
S34	38	ordered adj sequence and sequence adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:50
S35	18	S34 and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:48

S36	0	S35 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:48
S37	1	@ad<"20011227" and ordered adj queue and sequence adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:00
S38	72	Willke.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:54
S39	58	S38 not intel.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:54
S40	0	S39 and ordered near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:55
S41	0	S39 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:55
S42	9	S39 and order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:55
S43	3510	chipset and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:56
S44	332	S43 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:56
S45	0	S44 and order near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:56

S46	148	S44 and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:57
S47	0	S46 and transaction near ordered adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:57
S48	3	S46 and ordered adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:00
S49	0	@ad<"20011227" and ordered same queue same identifier same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:01
S50	0	@ad<"20011227" and ordered adj queue same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:04
S51	6	("6405276" "6513090" "6618782").pn. and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:05
S52	1	S51 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:11
S53	0	S51 and router and ordered near queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:11
S54	1	S51 and router and order\$2 same queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:55
S55	0	@ad<"20011227" and queue adj pair same separate same transaction adj id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:17

S56	0	@ad<"20011227" and queue adj pair same separate same sequence adj id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:17
S57	0	@ad<"20011227" and queue adj pair same separate same order adj id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:40
S58	0	@ad<"20011227" and queue adj priority and ordered adj transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:55
S59	118	@ad<"20011227" and queue adj priority and order\$2 same transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:56
S60	15	@ad<"20011227" and separate adj queue same priority same id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:57
S61	187	@ad<"20011227" and ordered adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:00
S62	58589	S61 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:00
S63	14	S61 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:00
S64	2043	@ad<"20011227" and 710/52-57. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:01
S65	30	S64 and separate adj buffers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:05

S66	0	@ad<"20011227" and separate near different near buffer and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:06
S67	146	@ad<"20011227" and separate same different same buffer and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:06
S68	58	S67 and id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:12
S69	0	@ad<"20011227" and router and separate near priority near buffers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:11
S70	3	S68 and separate near buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:15
S71	0	S64 and router and separate adj priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:16
S72	0	S64 and router and separate near priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:16
S73	65	S64 and router and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:17
S74	8	S73 and priority near queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:18
S75	2	S73 and separate near buffers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:18

S76	0	@ad<"20011227" and PCI and transaction adj ID and Delay adj complete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:43
S77	0	@ad<"20011227" and PCI near transaction near Delay adj complete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
S78	0	@ad<"20011227" and PCI near transaction and Delay adj complete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
S79	47	@ad<"20011227" and PCI near transaction and Delay adj complet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
S80	2	S79 and label near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:43
S81	23	@ad<"20011227" and PCI and transaction adj label	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:49
S82	0	@ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction near identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:50
S83	0	@ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction near label	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:51
S84	4	@ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:54
S85	11	@ad<"20011227" and transaction adj ordering near PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:55

S86	0	@ad<"20011227" and transaction adj ordering near PCI and label	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:55
S87	0	@ad<"20011227" and transaction adj ordering near PCI and transaction near identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:55